

4STRO LITE 750W

Drive your Power and Exceed your Expectation

Astro Lite is a 80 PLUS Gold Certified Modular PSU with outstanding performance at a competitive price. It's a special tuned single +12V rail at powerful 62.5A max

built with 90% efficiency at 50% load for power users. When the system is receiving enough power

to supply all components in the PC system from a single rail, there would never be any power regulation issues

since all power is drawn from just one source. Astro is all you need to keep up with competition.

Features:

80 Plus Gold Certified

With 87%~90% extreme high efficiency at 20%~100% of load to reduce the loss of electricity and save your money on facility bill.

Silent Design

Embedded 13.5cm sleeve ball bearing golf-surfaced fan. The patented golf-surfaced fan increases airflow and reduce overall

Advanced DC to DC Converter

Unparalleled DC to DC converters for 3.3V & 5V outputs to reach high efficiency.

Smart Fan Control

Equipped with "Smart Fan Control" design, which offers two types of operation modes, silent mode and cooling mode. The Astro adjusts fan operation mode automatically according to the system loading as well as the ambient temperature level.

Single +12V Output Rail

Offers maximum compatibility for the +12V demand.

Japanese-made Main Capacitors

Longer lifespan than electrolytic capacitors.

Reliable Japanese-made Solid-state Capacitors

Enhance your system durability and stability even under extreme conditions.

Long Cable Length

Long cables support the cable management behind motherboard.

Patented Easy Swap Connector

Quick and easy installation.

Easily Detachable and Flexible Flat Modular Cables

Use only the cables you need. Reduce clutter from unused connectors and enhance the air flow inside your system.

ErP Compliance

Its standby and off mode wouldn't exceed 0.5W consumption to save energy and maintain sustainable environment.









ASTRO LITE 750W

Drive your Power and Exceed your Expectation

Product Name		AL- 750GD	AL- 650GD	AL- 550GD
Model Number		HPM-750GD-F14C	HPM-650GD-F14C	HPM-550GD-F14C
Input	Voltage	100-240V	100-240V	100-240V
	Current	10A	10A	8A
	Total Watts	750W	650W	550W
Output	+5V	22A	22A	20A
	+3.3V	22A	22A	20A
	+12V	62.5A	54.2A	45.9A
	-12V	0.3A	0.3A	0.3A
	+5Vsb	3.0A	3.0A	3.0A
	+5V+3.3V	120W	120W	105W
	+12V Combined	750W	650W	550W
Connectors	20+4pin	1	1	1
	CPU 4Pin	0	0	0
	CPU 4+4Pin	1	1	1
	CPU 8Pin	0	0	0
	PCI-E 6+2pin	4	2	2
	PCI-E 6pin	0	0	0
	SATA	8	8	8
	HDD	4	4	4
	FDD	1	1	1
Dimension (w / D/ H)		150x160x86mm	150x160x86mm	150x160x86mm
Fan Bearing		Sleeve bearing fan	Sleeve bearing fan	Sleeve bearing fan
Fan Size(cm)		13.5cm	13.5cm	13.5cm
Modular Cable		Semi-modular	Semi-modular	Semi-modular
Off-Delay Fan		-	-	-
LED Power Meter		-	-	-
D-VRM		-	-	-
Japanese Capacitors		Main	Main	Main
Solid- state Capacitors		V	V	V
Double -sided PCB		-	-	-
Flat Cable		V	V	V
+12V Rail		1 Rail	1 Rail	1 Rail
Protection		UVP/OVP/OPP/	UVP/OVP/OPP/	UVP/OVP/OPP/
		SCP/OCP/OTP	SCP/OCP/OTP	SCP/OCP/OTP
Safety		FCC,CE,cTUVus,	FCC,CE,cTUVus,	FCC,CE,cTUVus,
		TUV,CB,CCC	TUV,CB,CCC	TUV,CB,CCC
80 PLUS		Gold	Gold	Gold

























ASTRO LITE 750W

Product No.: AL-750GD

